
Tennessee State Climate January 2018

Prepared by: William Tollefson & Dr. Andrew Joyner

Monthly Temperature Summary:


Monthly average temperatures were below normal for Tennessee, with almost all areas having a monthly mean temperature of less than 40°F, which was 2 to 6 degrees below normal. The month started out with wind-chill advisories in affect for all TN counties. The first half of the month was bitterly cold with average temperatures for the first week of January below freezing across the state. Middle and West Tennessee were 15-20 degrees below average for that time period as well! Cold temperatures continued in the second week, but with the axis of coldest shifting to the eastern half of the state. A brief warm up occurred near the middle of the month, before another arctic air mass swept into the state, although for a shorter time period. Starting around the 18th through to the end of the month temperatures were seasonable to above normal, with the last week of the month having temperatures 2 to 6 degrees above normal.



		Average Temperature (F)		Station Name	Station Type	Average Temperature (F)
SHILOH NMP TENNESSEE	RAWS	37.5		MT LECONTE	COOP	20.9
MEMPHIS INTERNATIONAL AP	WBAN	37.4		NEWFOUND GAP	COOP	25.8
CHATTANOOGA AP	WBAN	36.7	Map Data From: PRISM Climate Group,	TAZEWELL	COOP	26.8
MC MINNVILLE	COOP	36.6	Oregon State University.	ROAN MOUNTAIN 3SW	COOP	27.7
NASHVILLE INTL AP	WBAN	36.1	1980-2010 Normals Used Station Data retrieved from SC ACIS2	MONTGOMERY BELL STATE PARK	COOP	28.7

Monthly Precipitation Summary:

January was a dry month for most of the state, with average precipitation totals ranging from about 1 to 5 inches. The eastern 2/3 of the state were drier, with a large portion of that area recording less than 50% normal rainfall for the month. An Area in Northwest TN (centered around Gibson, Carroll, and Benton Counties) did record above normal precipitation, mostly in the form of snowfall between the 11th and 17th as two major snowfall events occurred about a week apart. In addition, all areas of the state recorded snowfall during the month, with highest amounts reported in northwest TN (4-9 inches).



Top Tenn. (Warmest/Coldest, Wettest/Driest stations):

Station Name	Station	Highest Temperature
	Туре	(F)
SAVANNAH 6 SW	COOP	72
AMES PLANTATION	COOP	71
CHEATHAM LOCK & DAM	COOP	71
BOLIVAR WATER WORKS	COOP	70
JACKSON EXP STA	COOP	70
LEBANON	COOP	70
CARTHAGE	COOP	70
SHILOH NMP TENNESSEE	RAWS	70

Highest temperatures observed:

*8 stations shown, an additional 20 stations all recorded highs of 69°F, including stations in the Nashville, Knoxville, Chattanooga, and Tri-Cities areas.

Coldest temperatures observed:

Station Name	Station Type	Lowest Temperature (F)
PULASKI WASTEWATER PLANT	COOP	-8
MT LECONTE	COOP	-8
WOODBURY 1 WNW	COOP	-5
ALLARDT	COOP	-4
MONTEREY	COOP	-4
CROSSVILLE 7 NW	WBAN	-4
BYRDSTOWN	COOP	-4
DRESDEN	COOP	-3
JAMESTOWN	COOP	-3
SMITHVILLE 2 SE	COOP	-3
CROSSVILLE EXP STN	COOP	-3
ROAN MOUNTAIN 3SW	COOP	-3
CHRISTIANA 5W	COOP	-3
NEWFOUND GAP	COOP	-3

*14 stations shown, all locations with lows of -3 or lower were listed, in addition, another 27 stations recorded temperature of 0°F or below.

Stations with the warmest mean temperature:

Station Name	Station Type	Average Temperature (F)	
SHILOH NMP TENNESSEE	RAWS	37.5	
MEMPHIS INTERNATIONAL AP	WBAN	37.4	
CHATTANOOGA AP	WBAN	36.7	
MC MINNVILLE	COOP	36.6	
NASHVILLE INTL AP	WBAN	36.1	
AMES PLANTATION	COOP	35.5	

SHELBYVILLE WATER DEPT	COOP	35.4
FAYETTEVILLE WATER PLANT	COOP	35.3
MERIWETHER LEWIS TENNESSEE	RAWS	35.2
PIKEVILLE	COOP	35.1

Stations with the coolest mean temperatures:

Station Name	Station Type	Average Temperature (F)	
MT LECONTE	COOP	20.9	
NEWFOUND GAP	COOP	25.8	
TAZEWELL	COOP	26.8	
ROAN MOUNTAIN 3SW	COOP	27.7	
MONTGOMERY BELL STATE PARK	COOP	28.7	
UNION CITY	COOP	29	
CROSSVILLE EXP STN	COOP	29.1	
NORRIS	COOP	29.4	
GLADEVILLE	COOP	29.8	
MONTEREY	COOP	30	

Wettest stations:

Station Name	Station Type	Total Precipitation (in)
AMES PLANTATION	COOP	9.95
HUNTINGDON WATER PLANT	COOP	8.11
HENDERSON 4 W	COOP	7.32
JACKSON 5.6 NE	CoCoRaHS	6.64
CAMDEN 4.5 NE	CoCoRaHS	5.68
JACKSON 4 NE	COOP	5.5
MT LECONTE	COOP	5.35
JACKSON 4.9 NW	CoCoRaHS	5.29
JACKSON 4.3 N	CoCoRaHS	5.26
OLD HICKORY DAM	COOP	5.17

Driest stations:

Station Name	Station Type	Total Precipitation (in)
CLEVELAND 4.7 S	CoCoRaHS	0.91
JONESBOROUGH 2.5 SSW	CoCoRaHS	1.1
PULASKI WASTEWATER PLANT	COOP	1.15
CHATTANOOGA AP	WBAN	1.17
LEWISBURG 6.2 SSE	CoCoRaHS	1.18
FRANKLIN SEWAGE PLANT	COOP	1.24


GLADEVILLE	COOP	1.29
GREENEVILLE 3.0 S	CoCoRaHS	1.29
WHITE PINE 2.0 NE	CoCoRaHS	1.29
CLEVELAND 5.2 SE	CoCoRaHS	1.3

Snowiest stations:

Name	Station Type	Total Snowfall (in)
PARIS 2 SE	COOP	13.7
CLARKSVILLE 3.4 NNW	CoCoRaHS	13
MT LECONTE	COOP	10.8
PARIS 1.0 W	CoCoRaHS	10.1
UNION CITY	COOP	9.7
DOVER 7.8 NNE	CoCoRaHS	9.7
ROAN MOUNTAIN 3SW	COOP	9.2
BIG SANDY 0.6 NE	CoCoRaHS	8.9
CAMDEN 4.5 NE	CoCoRaHS	7.7
JACKSON 4 NE	COOP	7.4


Drought:

Due to prolonged periods of below average precipitation, over half of the state is in some level of drought. Drought conditions increased from 9.5% of the state at the beginning of the month to 66% of the state by the last drought monitor report on the 30th. This drought has been affecting southern and eastern portions of the state since the end of December



Soil Moisture:

Matching the spread of drought conditions, negative soil moisture anomalies (dryer than normal soils) were found in eastern and southern Tennessee. The western portion of the state still has drier than normal soils, however there has been little change since last month, whereas the east experienced significant drying during the month of January.




-90 -80 -70 -60 -50 -40 -30 -20 -10 10 20 30 40 50 60 70 80 90

Streamflow:

With below normal precipitation, as well as several rounds of arctic air which produced a lot of river ice, most streams in the state recorded lower than normal streamflow for the month. Western and northern-Middle Tennessee were the exception, as streams there were within normal flow conditions.

January 2018



ZUSGS

Search USGS streamgage 🛛 🔎


Choose a data retrieval option and select a location on the map List of all stations
Single station
Nearest stations
Peak flow

		Explan	nation - F	Percent	ile classe	s	
•			•			٠	0
Low	<10	10-24	25-75	76-90	>90		Not-ranked
Much be	Much below normal	Below normal	Normal	Above	Much above normal	High	Not-ranked


USGS Waterwatch: <u>https://waterwatch.usgs.gov/index.php?r=tn&id=mv01d</u>

Miscellaneous (snowpack, crop conditions, fire danger...)

There were two large snow events, on the 12th and 17th leading to maximum snow cover for the state on January 18th.



Despite drought conditions during the month of January, the current fire risk for Tennessee is low, with the probability of a large fire, 100+ acres given an ignition source, ranging from 6 to 15% across the state.



Storm of the month:

The main storms/notable events for the month of January were the rounds of extreme cold that occurred during the first half of the month (41 weather stations recorded temperatures of 0°F or below), and major snowfalls in the middle of the month, that affected northwest TN the most and led to snow depths of 10+ inches in some locations.

In addition to the extremely cold temperatures, arctic air persisted for a relatively long period, with the Tri-Cities region in northeast Tennessee staying below freezing for a 7-day period. After the cold front that passed across the state Dec 31st into Jan 1st, several locations across the state reported lake/river effect snowfall and cloud cover. Lakes, ponds, and rivers also froze over around the state, with reports of people walking on the surface of Reelfoot Lake in western TN!



Image of Reelfoot Lake on January 6th at Tiptonville TN; photo from Jaclyn Stafford via Twitter



thenatcheztrace Fall Hollow on Natchez Trace Pkwy



:

Frozen waterfall at Fall Hollow on the Natchez Trace Parkway in Lewis County; image via Instagram



Image of the Doe River at Roan Mountain State Park, Roan Mountain TN on January 7th; photo from William Tollefson.

Storm reports:

No severe storms were reported in Tennessee in the month of January.

CPC outlooks for the next month:

Climate Prediction Center 1-month outlook for February 2010 looks like a typical La Niña pattern with cold/wet conditions to the north and warm/dry conditions to the south, with Tennessee in the middle, with equal chances of either condition.

