September 2020 Tennessee State Climate Summary

Tennessee Climate Office * East Tennessee State University
Prepared by William Tollefson and Dr. Andrew Joyner
With contributions by Climate Data Representatives at University of Memphis,
University of Tennessee-Martin, Vanderbilt University, University of Tennessee-Knoxville,
and University of Tennessee-Institute of Agriculture

Monthly Temperature Summary:

WINCHESTER 5SE

MEMPHIS WFO


COOP

WBAN

74

73.3

September 2020 brought seasonal temperatures across much of the state, with the mean temperatures ±1°F from normal for most locations. The drier parts of East Tennessee and the Cumberland Plateau were a bit warmer (1-4°F above normal) than other parts of the state. Despite being close to normal for the month, temperatures felt quite cool; especially compared to September in the past two years, when the state experienced temperatures of 5-10°F above normal. Temperatures in the first half of the month were a bit above normal, with a big cool down bringing fall temperatures across the state for the latter half of the month. As is typical for the Fall and Spring months, there was a wide range in temperatures across Tennessee, with maximum and minimum temperatures ranging from 99°F at Dover on the 4th, to 29°F at Mt LeConte on the 30th, a 70-degree spread! At individual stations, it was common for temperatures to range from the mid-forties to the low nineties, with the Tri-Cities airport reporting one of the larger ranges (41°F to 91°F).



Station Data retrieved from SC ACIS2

CHEROKEE TENNESSEE

CROSSVILLE EXP STN

RAWS

COOP

64.1

65.2

Monthly Precipitation Summary:

BENTON 2.3 ESE

SAVANNAH 6 SW

NEWFOUND GAP

NOLENSVILLE 1.0 NNW

LEBANON 2.7 SSE

CoCoRaHS

COOP

COOP

CoCoRaHS

CoCoRaHS

10.86


10.17

9.71

9.61

9.39

Rainfall for the month was hit or miss, with swaths of above normal precipitation in parts of East and Middle Tennessee; while much of the Cumberland Plateau and parts of Middle and West Tennessee recording below normal precipitation. There were very few statewide rain evets in September, with heavy rains limited to the northwest portions of the state during the first week of the month, Middle Tennessee the second week of the month, and East Tennessee in the second half of the month. Much of the rainfall across the state this month was tropical in nature, with the remnants of Hurricane Laura bringing rain to northwest Tennessee in the first days of the month, and the remnants of Hurricane Sally and Tropical Storm Beta brining rains to East Tennessee in the third and fourth weeks of the month.



Map Data From: PRISM Climate Group,

Oregon State University. 1981-2010 Normals Used

Station Data retrieved from SC ACIS2

LAWRENCEBURG FILT PLANT

CLARKSVILLE WWTP

CLARKSVILLE NO.2

MEMPHIS INTERNATIONAL AP

DICKSON 5.8 NW

0*

1.11

1.17

1.58

COOP

WBAN

CoCoRaHS

Station Data and Top Tenn. (warmest/wettest, coldest/driest stations of the month):

Station data for airports across the state using WBAN weather stations:

	Temperatures (°F)								Precipitation (inches)		
Station Name	Averages					Extre	mes	Totals			
	Max	Min	Mean	Depart	High	Date	Low	Date	Obs	Depart	%Norm
Memphis	82.6	66.4	74.5	-0.7	92	9/11	52	9/29	1.58	-1.51	51%
Jackson	80.7	60.5	70.6	-0.8	91	9/11	47	9/30	3.60	+0.22	107%
Clarksville	80.0	59.5	69.8	-0.3	91	9/11	45	9/30	1.81	-1.72	51%
Nashville	82.5	62.7	72.6	+1.1	92	9/11	48	9/30	3.80	+0.39	111%
Chattanooga	84.0	64.9	74.5	+2.0	94	9/11	49	9/30	5.64	+1.60	140%
Crossville	75.7	57.3	66.5	-0.7	86	9/11	42	9/22	3.01	-0.87	78%
Knoxville	80.1	61.6	70.8	-0.3	90	9/11	46	9/21	4.57	+1.33	141%
Bristol	78.9	57.6	68.3	+1.2	91	9/11	41	9/22	4.77	+1.78	160%

Departures and %Norm Key: Warmer than Normal, Cooler than Normal; Wetter than Normal, Drier than Normal

Hottest Stations (highest maximum temperature)

	•	
Station Type	Temperature (F)	Date
COOP	99	4
СООР	95	16
СООР	95	12
СООР	95	12
СООР	94	8
WBAN	94	11
WBAN	94	11
СООР	93	12
СООР	93	12
СООР	93	10
СООР	93	12
СООР	93	12
RAWS	93	11
	Station Type COOP COOP COOP COOP WBAN WBAN COOP COOP COOP COOP COOP	Type (F) COOP 99 COOP 95 COOP 95 COOP 95 COOP 94 WBAN 94 WBAN 94 COOP 93 COOP 93 COOP 93 COOP 93 COOP 93 COOP 93 COOP 93

Six stations tied for the fourth hottest temperature (93°F).

Coldest Stations (lowest minimum temperature)

Station Name	Station Type	Lowest Temperature (F)	Date
MT LECONTE	COOP	29	30
ROAN MOUNTAIN 3SW	COOP	33	22
NEWFOUND GAP	COOP	34	21
CHEROKEE TENNESSEE	RAWS	34	22
TAZEWELL	COOP	39	23
LEWISBURG EXP STA	COOP	40	23
GATLINBURG 2 SW	COOP	40	22
CROSSVILLE EXP STN	COOP	40	23
GREENEVILLE EXP STA	COOP	40	21
GAINESBORO	COOP	40	30
ONEIDA	COOP	40	23
BETHPAGE 1 S	COOP	40	30
DECATUR 7NE	COOP	40	22
COALMONT	COOP	40	30
BLEDSOE SF TENNESSEE	RAWS	40	22
CROSSVILLE 7 NW	WBAN	40	22

Eleven stations tied for fifth coldest temperature (40°F).

Warmest Stations (highest mean temperatures)

Station Name	Station Type	Mean Temperature (F)
GERMANTOWN 4SE	СООР	74.5
CHATTANOOGA AP	WBAN	74.5
MEMPHIS INTERNATIONAL AP	WBAN	74.5
WINCHESTER 5SE	СООР	74
MEMPHIS WFO	WBAN	73.3
NASHVILLE BERRY FIELD	СООР	72.8
AMES PLANTATION	СООР	72.7
SAVANNAH 6 SW	СООР	72.6
NASHVILLE INTL AP	WBAN	72.6
JACKSON EXP STA	СООР	72.5

Coolest Stations (lowest mean temperatures)

Station Name	Station Type	Mean Temperature (F)
MT LECONTE	СООР	53
NEWFOUND GAP	СООР	59.5
ROAN MOUNTAIN 3SW	СООР	61.7
CHEROKEE TENNESSEE	RAWS	64.1
CROSSVILLE EXP STN	СООР	65.2
GATLINBURG 2 SW	СООР	65.3
TOWNSEND 5S	СООР	65.6
CROSSVILLE 7 NW	WBAN	65.7
PORTLAND SEWAGE PLANT	СООР	66.2
TAZEWELL	СООР	66.4

Wettest Stations (highest precipitation totals):

wettest stations (ingliest precipitation totals).								
Station Name	Station Type	Total Precipitation (in)						
BENTON 2.3 ESE	CoCoRaHS	10.86						
SAVANNAH 6 SW	СООР	10.17						
NEWFOUND GAP	СООР	9.71						
NOLENSVILLE 1.0 NNW	CoCoRaHS	9.61						
LEBANON 2.7 SSE	CoCoRaHS	9.39						
LA VERGNE 2.1 SW	CoCoRaHS	9.33						
CLEVELAND FILTER PLANT	СООР	9.08						
HOHENWALD 0.3 E	CoCoRaHS	8.92						
CLARKSVILLE 3.4 NNW	CoCoRaHS	8.88						
MT LECONTE	СООР	8.84						


Driest Stations (lowest precipitation totals):


Direct stations (lowest precipitation totals).								
Station Type	Total Precipitation (in)							
СООР	0*							
СООР	1.11							
СООР	1.17							
WBAN	1.58							
CoCoRaHS	1.64							
CoCoRaHS	1.73							
CoCoRaHS	1.74							
CoCoRaHS	1.76							
CoCoRaHS	1.8							
WBAN	1.81							
СООР	1.83							
	COOP COOP COOP WBAN CoCoRaHS CoCoRaHS CoCoRaHS CoCoRaHS CoCoRaHS WBAN							


^{*}The Lawrenceburg Filt Plant station reported missing one day of reporting.


The Month in Comparison:

The moderate, near normal conditions for both temperatures and rainfall patterns across the state means that this year was in the middle of the pack, when compared to the September rainfall and precipitation patterns for the last 30 years. These graphs do show the outliers that September 2019 and 2018 were for many locations.











Drought Monitor:


Despite the drier than normal conditions showing up this month in parts of the state, as of the last Drought Monitor Release on September 29th, all areas of drought were cleared from Tennessee. This is the first time since June 9th that no D0 (Abnormally Dry) conditions were present in the state. If the dry pattern from the end of the month continues into October, some new areas of D0 may be introduced in the coming weeks.




Soil Moisture:


Despite a drying trend in some areas, soil moisture was at to above normal levels in most areas of the state. As of the end of the month the USDA crop weather report for Tennessee listed subsoil moisture as 10% short, 80% adequate, and 10% surplus. Topsoil moisture was rated 9% short, 77% adequate, and 14% surplus.








Calculated Soil Moisture Anomaly Change SEP 30, 2020 from AUG.31



Streamflow:

Streamflow for the month of September was at to above normal across the state, with some streams in East Tennessee and Middle Tennessee running much above normal for this time of year.

Map of monthly streamflow compared to historical streamflow for the month of the year (Tennessee)




Miscellaneous:

Crop Conditions from USDA: During September, harvesting began for Tobacco, Soybeans, Corn, and Cotton. Most harvests remained below the 5-year average due to the timing of rains during the month, but by the end of the month, the Tobacco harvest had surpassed the 5-year average. Cotton crops saw the worst conditions among the major crops, with 20% being reported in poor or very poor condition, mainly due to the timing of the rain in West Tennessee. Heading into the Fall, pasture and hay conditions across the state look good, and fields are being prepped for and planted with winter wheat. The crop progress and condition table from the end of September is shown on the next page.

CROP PROGRESS					CONDITION					
Сгор	This Week	Last Week	2019	5 Year Avg.	Item	Very Poor	Poor	Fair	Good	Excellent
	Percent						Per	cent		
Corn – Dented	100	98	99	100	Corn	1	3	22	60	14
Corn – Mature	88	78	97	96	Cotton	7	13	18	50	12
Corn – Harvested for Grain	40	27	69	69	Pasture	1	6	29	52	12
Cotton – Bolls Opening	66	50	78	79	Soybeans	1	3	21	60	15
Cotton - Harvested	2	1	10	7						
Soybeans – Dropping Leaves	52	37	67	66						
Soybeans - Harvested	12	7	24	17						
Tobacco - Cut	86	75	93	83						
Winter Wheat - Planted	5	4	8	5						
Winter Wheat – Emerged	3	1	1	1						


Fire Danger:

The Interagency Fire Center significant wildland fire potential outlook for October shows all of Tennessee, and the eastern half of the county will have normal fire potential.




Story of the Month:

One of the main stories of September 2020 was the flash flooding that occurred with a line of heavy rain and training storms that set up over Middle Tennessee on September 13th. These storms produced 5-8 inches of rain in the span of about 8 hours, resulting in several instances of flash flooding in the Nashville metro area. One of the highest totals came from Brentwood, with 8.25 inches of rain on the 13th, which accounted for over 90% of their rainfall for the month.







Here are some of the higher measured rainfall totals from yesterday's flooding rainfall event. These are 24 hour rainfall totals, but most of this fell in about an 8 hour window Sunday morning. Hopefully Sally stays away!

Location:	Amount:	Source of Report:			
1.9 ESE BRENTWOOD	8.25"	COCORAHS			
LASCASSAS	7.45"	TWITTER			
NOLENSVILLE	7.03"	FACEBOOK			
2.4 SW NOLENSVILLE	6.04"	COCORAHS			
SARDIS	5.60"	FACEBOOK			
2.0 W NOLENSVILLE	5.53"	COCORAHS			
2.1 SW LAVERGNE	5.38"	COCORAHS			
MT. PLEASANT	5.14"	OHX COOP			
COLUMBIA	5.00"	FACEBOOK			

Storm Reports:

*Storm Reports are based on filtered NOAA Storm Prediction Center data or local NWS storm reports. Future quality control checks may change the official record of severe events, please see spc.noaa.gov for any updates.

There were 3 days with severe storm reports during August, with a total of 2 tornadoes and 6 severe wind damage reports.

September 1



Tornado Reports:

Time (UTC)	Strength	Location	County	Lat	Lon	Comments
21:28	EFO	8 S FAIRVIEW	WILLIAMSON	35.86	-87.14	A BRIEF EF-0 TORNADO TOUCHED DOWN IN FAR SOUTHWESTERN WILLIAMSON COUNTY CAUSING MOSTLY TREE DAMAGE ON GREEN CHAPEL ROAD. THE TORNADO CONTINUED EAST AND CAUSED MINOR TRE (OHX)
22:24	EFO	3 S TIPTONVILLE	LAKE	36.33	-89.48	TORNADO DEVELOPED WEST OF WYNNBURG AND MOVED NORTHEAST ACROSS OPEN FARMLAND LIFTING BEFORE REACHING HIGHWAY 78 SOUTH OF TIPTONVILLE. NO STRUCTURAL DAMAGE WAS OBSERVE (MEG)

Wind Reports:

Time (UTC)	Speed (mph)	Location	County	Lat	Lon	Comments
21:24		9 S FAIRVIEW	WILLIAMSON	35.85	-87.15	REPORT OF TREES AND POWER LINES DOWN ON NORTH LICK CREEK RD IN THE PRIMM SPRINGS AREA. (OHX)
21:55		5 W FRANKLIN	WILLIAMSON	35.93	-86.93	TSPOTTER REPORT OF A TREE DOWN IN BLOSSOM PARK (OHX)
22:12		7 E THOMPSON'S STATION	WILLIAMSON	35.81	-86.79	TREE DOWN AT PULLTIGHT HILL RD AND CROSS KEYS RD (OHX)

Time (UTC)	Speed (mph)	Location	County	Lat	Lon	Comments
22:41		MOUNT	WILSON	36.21	-86.52	18 INCH DIAMETER TREE DOWN ACROSS THE 2 EASTBOUND LANES OF BELINDA PKWY
		JULIET				(OHX)

September 3



Wind Reports:

Time (UTC)	Speed (mph)	Location	County	Lat	Lon	Comments
19:41		3 SSW PIEDMONT	JEFFERSON	35.99	- 83.54	POWERLINE DOWN REPORTED ON SOCKLESS RD. ALSO A TRAFFIC LIGHT REPORTED OUT JUST A BIT EARLIER AT THE INTERSECTION OF WINFIELD DUN PKWY AND DOUGLAS DAM RD. (MRX)

September 28



Wind Reports:

Time (UTC)	Speed (mph)	Location		Lat	Lon	Comments
21:00		4 NW TRACY CITY	GRUNDY	35.3	-85.8	TREES DOWN ON POWER LINES AND ACROSS ROADS ALONG HIGHWAY 50 AND ON CLOUSE HILL ROAD. (OHX)

CPC Outlooks for the Next Month:

The NOAA Climate Prediction Center outlook for October shows most of Tennessee will likely see below normal temperatures continue through October, with higher confidence (40% likelihood) in East Tennessee. The outlook for precipitation shows all of Tennessee will likely have below normal precipitation as well, with the most confidence in the northwest corner of the state (50% likelihood).

